


PACKAGED NAIL & SCREW PROGRAM



We offer a wide range of screws in 1lb and 5lb buckets, along with bulk boxes. We have planogram offerings from 4ft to 16ft ready to ship. We can tailor any WoodPro planogram for each unique market. If a specific fastener does not perform well in your market, we'll fill the





planogram with a fastener that does. Our packaging has a bright full color label and transparent plastic so your customers know what's in the bucket before they make a purchase.










PPG E-COAT, WHY IT'S BETTER

PPG E-Coat is superior to other types of coating because it allows for a thinner coat while still maintaining over 1,000 hours of salt spray protection. The thinner coating provided by PPG also eliminates recess and thread fill so you know your bit will always fit securely. The coating is extremely durable in all weather applications and will not chip or rub off. PPG coating is rated for use in treated lumber.



MARKETING SUPPORT

With each planogram sold, we send out a header card that helps your customers choose the correct screw for their project. This card is 44" x 10" in size and can be mounted in various ways depending on your stores layout. It has relative screw coating information, graphic photos of applications and other information that will help them choose the right screw.



ALL PURPOSE SCREWS (INTERIOR/EXTERIOR)



WoodPro All Purpose Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. Special nibs under the head provide a clean countersink in all types of material. For interior and exterior use.

Size	Bit	Point	Color	1LB SKU	5LB SKU	BULK SKU
#8 x 1-1/4"	#20 Star	Type-17	Gold	AP8X114-1	AP8X114-5	AP8X114-5M
#8 x 1-1/2"	#20 Star	Type-17	Gold	AP8X112-1	AP8X112-5	AP8X112-5M
#9 x 1-1/2"	#25 Star	Type-17	Gold	AP9X112-1	AP9X112-5	AP9X112-2M
#8 x 2"	#20 Star	Type-17	Gold	AP8X2-1	AP8X2-5	AP8X2-3.5M
#9 x 2"	#25 Star	Type-17	Gold	AP9X2-1	AP9X2-5	AP9X2-2M
#9 x 2-1/2"	#25 Star	Type-17	Gold	AP9X212-1	AP9X212-5	AP9X212-2M
#10 x 2-1/2"	#25 Star	Type-17	Gold	N/A	AP10X212-5	A10X212-1.5M
#9 x 2-3/4"	#25 Star	Type-17	Gold	AP9X234-1	AP9X234-5	AP9X234-2M
#9 x 3-1/8"	#25 Star	Type-17	Gold	AP9X318-1	AP9X318-5	AP9X318-1M
#10 x 3-1/8"	#25 Star	Type-17	Gold	N/A	AP10X318-5	AP10X318-1M
#9 x 3-1/2"	#25 Star	Type-17	Gold	AP9X312-1	AP9X312-5	AP9X312-1M
#10 x 3-1/2"	#25 Star	Type-17	Gold	N/A	AP10X312-5	AP10X312-1M
#10 x 4"	#25 Star	Type-17	Gold	AP10X4-1	AP10X4-5	AP10X4-1M

NEW LONG ALL PURPOSE (INTERIOR/EXTERIOR) POG RATED FOR USE IN ACQ TREATED LUMBER								
Size	Bit	Point	Color	50 Piece SKU	BULK SKU			
#10 x 4-3/4"	#25 Star	Type-17	Gold	AP10X434-50	AP10X434-800			
#12 x 5-5/8"	#25 Star	Type-17	Gold	AP12X558-50	AP12X558-600			
#12 x 6-3/8"	#25 Star	Type-17	Gold	AP12X634-50	AP12X634-1M			
#12 x 7-1/4"	#25 Star	Type-17	Gold	AP12X714-50	N/A			
#12 x 8"	#25 Star	Type-17	Gold	AP12X8-50	N/A			
#12 x 10"	#25 Star	Type-17	Gold	AP12X10-50	N/A			
#12 x 12"	#25 Star	Type-17	Gold	AP12X12-50	N/A			

PHOSPHATE COATED DRYWALL SCREWS (INTERIOR)



WoodPro Drywall Screws are phosphate coated and offer minimal corrosion protection. Our Drywall screws feature a coarse thread that helps prevent pop-out. A sharp Type-A point aids in quick starting and effortless drilling. These screws are for interior use only and should not be used in treated lumber.

Size	Bit	Point	Color	1LB SKU	5LB SKU	BULK SKU
#6 X 1"	#2 Philips	Type-A	Grey/Black	DWPC6X1-1	DWPC6X1-5	DWPC6X1-10M
#6 X 1-1/4"	#2 Philips	Type-A	Grey/Black	DWPC6X114-1	DWPC6X114-5	DWPC6X114-8M
#6 x 1-5/8"	#2 Philips	Type-A	Grey/Black	DWPC6X158-1	DWPC6X158-5	DWPC6X158-5M
#6 x 2"	#2 Philips	Type-A	Grey/Black	DWPC6X2-1	DWPC6X2-5	DWPC6X2-3.5M
#8 x 2-1/2"	#2 Philips	Type-A	Grey/Black	DWPC8X212-1	DWPC8X212-5	DWPC8X212-2.5M
#8 x 3"	#2 Philips	Type-A	Grey/Black	DWPC8X3-1	DWPC8X3-5	DWPC8X3-2M

WASHER HEAD SCREWS (INTERIOR/EXTERIOR) P







WoodPro Washer Head Screws are coated by PPG Industries with an industry leading 1,500 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The stronger PPG coating helps prevent chipping for added exterior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point with a patented ASTER thread provides quick starting and effortless drilling.

Size	Bit	Point	Color	25/50PC SKU	250PC SKU
1/4 X 1-1/2"	#25 Star	Type-17	Golden	ST14X112-50PC	ST14X112B
1/4 X 2"	#25 Star	Type-17	Golden	ST14X2-50PC	ST14X2B
1/4 X 2-1/2"	#25 Star	Type-17	Golden	ST14X212-50PC	ST14X212B
1/4 X 3-1/8"	#25 Star	Type-17	Golden	ST14X318-50PC	ST14X318B
1/4 X 3-1/2"	#25 Star	Type-17	Golden	ST14X312-50PC	ST14X312B
5/16 X 2-1/2"	#30 Star	Type-17	Golden	ST516X212-25PC	ST516X212B
5/16 X 3-1/8"	#30 Star	Type-17	Golden	ST516X318-25PC	ST516X318B
5/16 X 3-1/2"	#30 Star	Type-17	Golden	ST516X312-25PC	ST516X312B
5/16 X 4"	#30 Star	Type-17	Golden	ST516X4-25PC	ST516X4B
5/16 X 5-1/8"	#30 Star	Type-17	Golden	ST516X518-25PC	ST516X518B
5/16 X 6"	#30 Star	Type-17	Golden	ST516X6-25PC	ST516X6B
3/8 X 7-1/4"	#30 Star	Type-17	Golden	ST38X714-25PC	ST38X714B
3/8 X 8"	#30 Star	Type-17	Golden	ST38X8-25PC	ST38X8B
3/8 X 10"	#30 Star	Type-17	Golden	ST38X10-25PC	ST38X10B

CABINET SCREWS (INTERIOR/EXTERIOR)







WoodPro Cabinet Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling.

Size	Bit	Point	Color	1LB SKU	5LB SKU	BULK SKU
#8 x 1-3/4"	#20 Star	Type-17	Golden	CB8X134-1	CB8X134-5	N/A
#8 x 2-3/4"	#20 Star	Type-17	Golden	CB8X234-1	CB8X234-5	N/A
#8 x 3-1/8"	#20 Star	Type-17	Golden	CB8X318-1	CB8X318-5	N/A

COMPOSITE DECK SCREWS (EXTERIOR)







WoodPro Composite Deck Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. Dual threads prevent mushrooming while the color matched PPG coating conceals the fastener.

Size	Bit	Point	Color	1LB SKU	5LB SKU	BULK SKU
#10 x 2-1/2"	#20 Star	Type-17	Tan	N/A	CD10X212T-5	CD10X212T-2M
#10 x 2-1/2"	#20 Star	Type-17	Grey	N/A	CD10X212G-5	CD10X212G-2M
#10 x 2-1/2"	#20 Star	Type-17	Red Wood	N/A	CD10X212RW-5	CD10X212RW-2M
#10 x 2-1/2"	#20 Star	Type-17	Brown	N/A	CD10X212B-5	CD10X212B-2M

TRIM HEAD SCREWS (INTERIOR/EXTERIOR)





WoodPro Trim Head Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. The small head and thin shank are designed to prevent mushrooming and help conceal the fastener. For interior and exterior use.

Size	Bit	Point	Color	1LB SKU	5LB SKU	BULK SKU
#7 x 1-1/2"	#10 Star	Type-17	Gold	TH7X112-1	TH7X112-5	N/A
#7 x 2"	#10 Star	Type-17	Gold	TH7X2-1	TH7X2-5	N/A
#7 x 2-1/2"	#10 Star	Type-17	Gold	TH7X212-1	TH7X212-5	N/A
#7 x 3-1/8"	#10 Star	Type-17	Gold	TH7X318-1	TH7X318-5	N/A
#9 x 3"	#15 Star	Type-17	Gold	TH9X3-1	TH9X3-5	N/A



We offer a wide range of hand driven nails in 1lb and 5lb boxes, 30lb plastic buckets and 50lb bulk boxes. We have planogram offerings from 4ft to 16ft ready to ship. We can tailor any WoodPro planogram for each unique market. If a specific fastener does not perform well in your market,






we'll fill the planogram with a fastener that does. All WoodPro packaged nails meet or exceed all applicable ASTM codes.

MARKETING SUPPORT

With each planogram sold, we send out a header card that helps your customers choose the correct fastener for their project. This card is 44" x 10" in size and can be mounted in various ways depending on your stores layout. It has relative fastener coating information, graphic photos of applications and other information that might help them choose the right fastener.



MANIANIAN. **SIZE 1LB SKU 5LB SKU 30LB SKU 50LB SKU** 8d PDHD8-1 PDHD8-5 PDHD8-30 PDHD8-50 PDHD16-1 PDHD16-5 PDHD16-30 PDHD16-50 16d

HOT DIP GALVANIZED PATIO/DECK

HOT DIP GALVANIZED CASING NAILS							
		Ш					
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU			
8d	CSHD8-1	CSHD8-5	CSHD8-30	CSHD8-50			
16d	CSHD16-1	CSHD16-5	CSHD16-30	CSHD16-50			

HOT DIP GALVANIZED JOIST HANGER							
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU			
1-1/4"	JHHD114-1	JHHD114-5	JHHD114-30	JHHD114-50			
1-1/2"	JHHD112-1	JHHD112-5	JHHD112-30	JHHD112-50			

HOT DIP GALVANIZED MASONRY							
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU			
8d	HCMHD8-1	HCMHD8-5	HCMHD8-30	HCMHD8-50			

8d

16d

HOT DIP GALVANIZED RS POLE BARN

·							
SIZE	5LB SKU	30LB SKU	50LB SKU				
20d	PBHDR20-5	PBHDR20-30	PBHDR20-50				
40d	PBHDR40-5	PBHDR40-30	PBHDR40-50				
60d	PBHDR60-5	PBHDR60-30	PBHDR60-50				

HOT DIP GALVANZED BOX NAILS

	l m	11		
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
3d	BXHD3-1	BXHD3-5	BXHD3-30	BXHD3-50
4d	BXHD4-1	BXHD4-5	BXHD4-30	BXHD4-50
6d	BXHD6-1	BXHD6-5	BXHD6-30	BXHD6-50
7d	BXHD7-1	BXHD7-5	BXHD7-30	BXHD7-50
8d	BXHD8-1	BXHD8-5	BXHD8-30	BXHD8-50
16d	BXHD16-1	BXHD16-5	BXHD16-30	BXHD16-50

VINYL COATED SINKER

SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
8d	CSV8-1	CSV8-5	CSV8-30	CSV8-50
10d	CSV10-1	CSV10-5	CSV10-30	CSV10-50
12d	CSV12-1	CSV12-5	CSV12-30	CSV12-50
16d	CSV16-1	CSV16-5	CSV16-30	CSV16-50

BRIGHT FINISH

SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
4d	FN4-1	FN4-5	FN4-30	FN4-50
6d	FN6-1	FN6-5	FN6-30	FN6-50
8d	FN8-1	FN8-5	FN8-30	FN8-50
16d	FN16-1	FN16-5	FN16-30	FN16-50

COATING INFORMATION

CM8-1

CM16-1

Bright Finish — For interior use where no corrosion protection is needed. Not for use in ACQ or other treated lumber. Meets or exceeds all ASTM specifications, when applicable.

Electro Galvanized (EG) — Minimal corrosion protection for use in areas that need mild corrosion protection. Not for use in treated lumber. Meets or exceeds all ASTM standards for zinc coating weight when applicable.

Hot Dip Galvanized (HDG) — Premium corrosion protection, acceptable for use in ACQ and other types of treated lumber. Meets or exceeds all ASTM standards for zinc coating weight when applicable.

SIZE 1LB SKU 5LB SKU 30LB SKU 50LB SKU

CM8-5

CM16-5

CM8-30

CM16-30

CM8-50

CM16-50

BRIGHT DUPLEX				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
8d	DP8-1	DP8-5	DP8-30	DP8-50
10d	DP10-1	DP10-5	DP10-30	DP10-50
16d	DP16-1	DP16-5	DP16-30	DP16-50

HT, OIL QUENCHED RS POLE BARN **50LB SKU** SIZE **5LB SKU 30LB SKU** 20d PBHTR20-5 **PBHTR20-30** PBHTR20-50 40d PBHTR40-5 **PBHTR40-30** PBHTR40-50 60d PBHTR60-5 **PBHTR60-30** PBHTR60-50

SAC Eagle By B&C Eagle



EG ROOFING				
<u></u>				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
1"	BR1-1	BR1-5	BR1-30	BR1-50
1-1/4"	BR114-1	BR114-5	BR114-30	BR114-50
1-1/2"	BR112-1	BR112-5	BR112-30	BR112-50
1-3/4"	BR134-1	BR134-5	BR134-30	BR134-50
2"	BR2-1	BR2-5	BR2-30	BR2-50
2-1/2"	BR212-1	BR212-5	BR212-30	BR212-50
3"	BR3-1	BR3-5	BR3-30	BR3-50

EG PLASTIC CAP			
SIZE	1LB SKU	BULK SKU	
1"	PC1-1	PC1-2M	
1-1/2"	PC112-1	PC112-2M	
2"	PC2-1	PC2-2M	
2-1/2"	PC212-1	PC212-2M	
3"	PC3-1	PC3-2M	

DRYWALL NAILS				
 =				
SIZE	5LB SKU	50LB SKU	Notes	
1-5/8"	DWPCAT158-5	DWPCAT158-50	Bright, Annular Thread	
1-5/8"	DWPC158-5	DWPC158-50	Phosphate Coated	

